कोहलपुर नगरपालिका



ालिकाको कार्यालय

Google Plus Code 6M2O+5V7 Kohalpur

प.सं.:२०८१/०८२

चन .

कोहलपुर, बाँके क्रिम्बिनी प्रदेश, नेपाल

खरिद तथा जिन्सी उपशाखा

मिति:-२०८२/०१/०३

विषय:- दररेट पेश गर्ने सम्बन्धमा।

श्री यस नगरपालिकामा सूचीकृत भएका/नभएका सप्लायर्स सबै।

उपरोक्त सम्बन्धमा यस कोहलपुर नगरपालिका नगर कार्यपालिका कार्यालय अन्तर्गत महिला तथा बालबालिका शाखाको आ.व.०८९/०८२ बिनियोजित बजेटबाट अपांग भएका व्यक्तिहरूका लागि व्हिलचेयर खरिद गर्नुपर्ने भएको हुदाँ उल्लेखित स्पेशिफिकेसन भएको व्हिवलचेयर सामाग्रीहरू के-कित मुल्यमा उपलब्ध गराउन सिकन्छ । तोकिए बमोजिमको सामाग्रीको दररेट ७ (सात) दिन भित्र जिन्सी शाखामा पेश गर्नहुन सम्बन्धित सबैको जानकारीका लागि यो सुचना प्रकाशन गरिएको छ ।

तपशिलः-

१.प्रस्तावना/दररेट पेश निवेदन

२.भ्याट/प्यान दर्ता प्रमाण प्रतिलिपी

३.व्यवसाय दर्ता तथा नवीकरण भएको प्रतिलिपी

४.आ.व.०८०/०८१ को कर चुक्ता प्रमाणपत्रको प्रतिलिपी

वोधार्थः-

श्री सुचना प्रविधि तथा तथ्याङ्क उपशाखा- वेवसाईटमा अपलोड गरिदिनुहुन ।





Technical Specification of Battery operated Three Wheel E-Tricycle

Brand			
Model	Lithium E-Tricycle		
Battery	33Ah, 12v, LI-ON		
Motor	350w,36v,BLDC HUB		
	Motor		
Charger	DC36V, 3A, Input 220V AC		
Charging Time	4 hrs		
Max Speed	25km/hr		
Range	40 km		
Permission Load	>80 Kg		
Total Weight	60 Kgs		
Controller	350w, 36/48V, 20 Amp		

Feathers

- 1. Eco Friendly
- 2. Battery Operated (AI System)
- 3. Lithium Battery Pack
- 4. Battery Management system
- 5. Water Proof Intelligent
- 6. Controller with Regeneration Braking
- 7. 3 Speed Modes Operation








Technical Specification of Motivational Standard Wheel Chair

CLASP Product Number	WM4X-01S	WM4X-01M	WM4X-01L	WM4X-01XL		
Seat Width	14.2" (36 cm)	15.7" (40 cm)	17.3" (44 cm)	18.9" (48 cm)		
Seat Depth	14.2" (36 cm), 15.7" (40 cm)					
Back Height	The backrest can be set in two height positions: high and low. The high back is 3.9" (10 cm) higher than the low.					
Back Angle	The shape of the backrest can be altered by adjusting the tension of the backrest straps.					
Footrest Height	The footrest height can be adjusted to different heights.					
Rear Wheel Dimensions	$26" \times 1.4"$ diameter (66 cm x 4 cm) with 40-spoke aluminum rims and pneumatic, medium tread with extra thick inner tubes					
Rear Wheel Axle Adjustability	Two sealed bearings and 0.47" (1.2 cm) high tensile axles, interchangeable with WM3 (apart from axle)					
Caster Dimensions	6" x 2" diameter					
Overall Width Open	29.9" (76 cm)					
Overall Width Closed	15.7" (39.9 cm)					
overall Length	37.8" (96 cm)					
roduct Weight	47 lb (21.3 kg)					
leight Capacity	250 lb (113 kg)					
ackaging	One unit per carton					
ackage Size	26" x 26" x 17" (66 cm x 66 cm x 43 cm)					
ackage Weight	57 lb (26 kg)		The second secon	लुम्बिनी प्रदेश		















S.No	Particulars	Qty (Nos)	Rate		
1	Electric Tri cycle (E.V with Charger Set same as specification)	1.(one)			
2	Motivational Wheel Chair (with Folding type same as specification)	1. (one)			
3	Standard/Active Wheel Chair (same as specification)	1. (one)			
	Total Vat Amount				
	Total Amount wih Vat				

